

Information contained on this Product Information Data Sheet is to the best of our knowledge accurate and reliable. However, no guarantee is given nor intended as conditions of handling and use of this product are beyond our control.

BEAUTY

TIMBER, CORK & PARQUETRY TREATMENT

TDSE20-1-1100

DESCRIPTION: -

Peerless BEAUTY is a clear pre-catalysed oil modified urethane formulated to produce a semi permanent surface coating for timber, cork, parquetry and granwood flooring. There are no chemicals, hardeners or accelerators to be mixed in. It is ready for instant use on interior timber, cork, parquetry and granwood flooring. BEAUTY is not affected by hot or cold water, grease, oil, petrol, alcohol or detergents. Recommended where ease of cleaning, resistance to scratching and minimum maintenance, together with a groomed natural-gloss appearance are required

PHYSICAL PROPERTIES	
Appearance	Slightly viscous tan coloured liquid
Odour	Mineral solvent
Specific Gravity	0.890 ± 0.005
Percentage Volatiles	64.5 – 65.5%
Solubility in Water	Insoluble
Coverage	12 – 16 m ² /litre (typical)

DIRECTIONS FOR USE: -

For new timber, after fine sanding apply one coat of Peerless Q.D. SEAL in accordance with label directions. Allow at least 2 hours after drying and cut back with steelwool or used sandscreen discs.

Thoroughly vacuum all dust. Apply 2 coats of BEAUTY using lambswool applicators, allowing a minimum of 2 - 3 hours between coats.

Aged Floors - Prior to application of BEAUTY the Floor must be pre-cleaned with Peerless "Timber Preclean" or if polish, sealer finish or wax has been applied, stripped with All Purpose Stripping Emulsion, rinsed with clean water and allowed to dry. When dry, cut the floor back with sandscreen discs or sandpaper (100 - 120 grit). Sweep or vacuum all dust and "Tack Rag" if necessary. Apply two coats of BEAUTY using a lambswool applicator, applying across the grain and levelling with the grain of the timber. Leave a minimum of 2 - 3 hours between coats.

TDGLA 001

PEERLESS EMULSION PRODUCTS PTY. LTD. A.C.N. 004 315 619

Head Office: 173 Grange Road, Fairfield, Victoria, Australia, 3078. TEL: (03) 9499 3161 FAX: (03) 9497 4456.
 N.S.W. (02) 9674 3000 QLD. (07) 3260 1377 W.A. (08) 9362 1800 S.A. (08) 8352 4077 TAS. (03) 6234 4694 N.T. (08) 8984 3219
 Ballarat (03) 5331 3688 Kalgoorlie (08) 9021 4421