

MATERIAL SAFETY DATA SHEET EXTRA KLEEN HEAVY DUTY

Hazardous according to criteria of Worksafe Australia.
Risk R35 Causes severe burns.

IDENTIFICATION

Product Name: **Extra Kleen H/D**
Manufacturer's Product Code: 78
UN Number: 1719
Poisons Schedule No: 5

Dangerous Goods Class: 8
Subsidiary Risk: None allocated
Hazchem Code: 2R
Use: Heavy duty cleaner for floors
and equipment

Physical Description/Properties

Appearance: Clear brownish yellow liquid
Odour: Very little
Boiling Point: Over 100^o C

Flash Point: Non Flammable
Flammability Limits: Not applicable
Solubility in Water: Soluble in all
proportions
pH: 13.6

Specific Gravity: 1.125

Ingredients

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Proportion</u>
Sodium metasilicate	6834-92-0	10 - 30%
Potassium hydroxide	1310-58-3	4.4%
Ingredients determined not to be hazardous 100%		to

HEALTH HAZARD INFORMATION

Health Effects

Swallowed: The product is highly irritating and corrosive to the gastro-intestinal tract. Can cause severe burns.

Eye: Severe irritant, will cause redness and pain, and may cause permanent damage

Skin: Exposure will cause drying of skin and may lead to dermatitis. Contact with neat product can cause severe burns.

Inhaled: Inhalation of spray mist will cause irritation of mucus membranes, and is capable of causing burns, and damage to the throat.

First Aid

This information is based on data believed by Chesser Chemicals Pty Ltd to be accurate at the time of writing. It is given in good faith, but no warranty expressed or implied is made as to its accuracy, completeness or otherwise. Every person dealing with the materials referred to herein does so at his/her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.